



# DavosLife

## Revive



## Age Defying Beauty Serum

Supplier Name	Trade Name (Product)	INCI	% w/w
<b>PHASE A</b>			
DSM	Allantoin	Allantoin	0.20
Multiceras	Beeswax	Cera Alba	0.50
Imex	C16	Cetyl Alcohol	2.00
Imex	GMS	Glyceryl Stearate	3.20
Imex	IPM	Isopropyl Palmitate	2.00
Imex	MCT 60/40	Caprylic / Capric Triglyceride	5.00
Protameen	Procol CVS0D	Cetearyl Alcohol, Ceteareth-20	1.20
Imex	Stearic Acid	Stearic Acid	2.50
Kobo	CareSil™ CXG-1101	Cyclopentasiloxane, Dimethicone / Vinyl Dimethicone Crosspolymer	3.00
<b>PHASE B</b>			
N/A	1,3 BG	Butylene Glycol	2.00
IFF Health	Genencare OSMS	Betaine	2.00
N/A	Glycerin	Glycerin	2.00
Bioland	HA	Sodium Hyaluronate	5.00
N/A	Water	Water	65.38
<b>PHASE C</b>			
<b>KLK OLEO</b>	<b>DavosLife E3</b>	<b>Tocotrienols, Tocopherol</b>	<b>3.00</b>
N/A	Nerolina	Melaleuca Quinquenervia Oil	0.27
Schulke	PE9010	Phenoxyethanol, Ethylhexylglycerin	0.60
<b>PHASE D</b>			
N/A	Tea	Triethanolamine	0.15

### Procedure

1. Heat up Phase A up to 75 degree celcius, and add into Phase B, mix well.
2. At room temperature, add in Phase C slowly into mixture.
3. Finally add in Phase D to adjust pH.