EYEBROWS EXPRESSIONIST



Trendy Formulation



7380FOR1 (April 2022)

PHASE	INCI/PCPC	TRADE NAME	SUPPLIER	w/w %
A.1	Water(aqua)			77,20
A.2	Glycerin			3,00
A.3	1, 2-Hexanediol	Hexiol EP	Minasolve	3,00
A.4	Xanthan Gum	Keltrol® CG	CP Kelco	1,00
B.1	CI <i>77</i> 492	Unipure® yellow LC182	Sensient	0,35
B.2	CI 77491	Unipure® red LC381	Sensient	0,10
B.3	CI 77499	Unipure® Black LC989	Sensient	0,35
B.4	CI 77891	Unipure® white LC987	Sensient	0,20
B.5	Cellulose (and) Pectin (and) Aqua (and) Hydrolyzed Vegetable Protein	Natpure® Fiber HS 50	Sensient	3,00
C.1	Propanediol, Aqua, Arginine, Lactic Acid, Glycine Soja Germ Extract, Triticum Vulgare Germ Extract, Scutellaria Baicalensis Root Extract, Sodium Benzoate, Gluconolactone, Calcium Gluconate	Baicapil™	Provital	3,00
C.2	Caprylyl/Capryl Glucoside, Polyglyceryl-4 Caprate, Polyglyceryl-6 Laurate, Pentylene Glycol, Sodium Dilauramidoglutamide Lysine	Makigreen Solve +	Daito Kasei	5,00
D.1	Pullulan (and) Soribitol (and) Trehalose (and) Accacia Gum	Natpure® film AP	Sensient	3,00
D.2	Phenylpropanol, Propanediol, Caprylyl Glycol, Tocopherol	Sensiva® PA 40	Schulke and Mayr	0,80
			TOTAL	100.00

- 1. In a clean beaker, weigh A.1 and under rotor stator add it premix of A2. to A.4.
- 2. When homogeneous add ingredient B.1 to B.4 one by on waiting for homogeneity between each addition.
- 3. Add then B.5 under regular stirring (dispersing blade).
- 4. Then add premix of C.1 and C.2 to batch.
- 5. Finally add ingredients of phase D one by one under stirring.

CONTROL

Appearance: Brown Fluid Gel.

Viscosity (20°C, 100 rpm, spindle 6): 1000-2000 mPa.s Stability Test: 3 months at 50°C, 40°C and RT.

DIRECTIONS

intensity you wish, let it dry.

All eyebrows types, select the color that match yours.

Remove the applicator from the tube and apply directly on your eyebrows, sculpting and giving them the

EWG

NATURAL ORIGIN CONTENT (ISO 16128)

96.2%

COMPLIANCE

