

## MossCellTec<sup>™</sup> Aloe Harmonizes the skin's moisture flow

- Improves hydration evenness
- Activates cell-to-cell communication
- Fades away signs of aging
- Comforts dry skin



## Hydrating Facial Mask with MossCellTec™Aloe

	Phase	Application/Trade Name	INCI	% w/w
	Δ	Aqua/Water	Aqua/Water	Add 100%
		Xanthan Gum FNCSP-PC (Jungbunzlauer International AG)	Xanthan Gum	1.0
		Actigum™ CS 11 QD (Cargill)	Sclerotium Gum	1.0
		Hydrolite® 6 (Symrise)	1,2-Hexanediol	1.0
		SymSave® H	Hydroxyacetophenone	0.5
		Glycerin	Glycerin	10.0
		Panthenol	Panthenol	5.0
		MossCellTec <sup>™</sup> Aloe	Xylitol (and) Caprylyl Glycol (and) Ketoglutaric Acid (and) Aqua/Wa	
	3	Symbio®solv clear plus MB (Evonik Operations GmbH)	Caprylyl/Capryl Glucoside (and) Aqua (and) Sodium Cocoyl Glutama (and) Glyceryl Caprylate (and) Citric Acid (and) Polyglyceryl-6 Olea (and) Sodium Surfactin	
		True Lighthouse CO (Essencia AG)	Perfume	0.2
	9	Symcolor Chlorophyll	C.I.75810	0.01

## Manufacturing Procedure

- 1. Mix phase A, one after the other, under agitation.
- 2. Add MossCellTec<sup>™</sup> Aloe and stir until completely homogenous.
- 3. Premix phase  ${\bf B}$  and add to phase  ${\bf A}$  under agitation, do not homogenize.
- ${\bf 4.}$  Add phase  ${\bf 6\!\!\!\! G}$  and mix until the color is evenly dispersed in the product.
- 5. If necessary, adjust pH to 4.5-5.5 using Citric Acid/NaOH sol.

The information contained in this publication is provided in good faith and is based on our current knowledge. No legally binding promise or warranty regarding the suitability of our products for any specific use is made. Any statements are offered solely for your consideration, investigation and verification and do not relieve you from your obligation to comply with all applicable laws and regulations and to observe all third party intellectual property rights. Mibelle AG Biochemistry will not assume any expressed or implied liability in connection with any use of this information and disclaims any and all liability in connection with your product or its use. No part of this publication may be reproduced in any manner without the prior written permission of Mibelle AG Biochemistry.